


# Metallics

An *AMERICAN* Source For Premier  
and Innovative Fasteners and Anchors

## Mungo Series ANCHORS



### **MEF Easy-Fix**

For use with aerated concrete and other soft building materials. Soft board (wooden fibre boards), Particleboard, Gypsum, XPS thermal insulation and more.



## MEF Easy-Fix


### FEATURES

- » No pre-drilling in aerated concrete. In other building materials it's recommended to use the same diameter of drill as the diameter of the plug (see chart a).
- » For use with wood, self-tapping, sheet metal screws and hexagon screws
- » Pre installation
- » Indoor applications



### Applications

- » Pipes » Water conduits » Gas conduits » Sanitary industry » Hand rails



### Installation



1. Hammer-in directly into aerated concrete block without pre-drilling, for all other building materials it's recommended to use the same diameter of drill as the diameter of the plug.

a) MEF Easy-Fix	6/32 <sup>1)</sup>	8/38 <sup>1)</sup>	8/60 <sup>1)</sup>	10/60 <sup>1)</sup>
Drill hole diameter in aerated concrete	1/4"	5/16"	5/16"	3/8"

<sup>1)</sup>Wood screws, self-tapping screws and lag screws (lag bolts) with different heads for the given diameter can be applied.

2. screw in the element,
3. the element expands the Easy-Fix into the base material.



